Safety Data Sheet

Revision Date: 21-Apr-2022



Issue Date: 02-Feb-2004 Revision Date: 21-Apr-2022 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Visible Penetrant Type II BC (Aerosol)

Other means of identification

 SDS #
 AGC-019

 Product Code
 AG-1-VS

 UN/ID No
 UN1950

Other Information Package type: Aerosol.

Recommended use of the chemical and restrictions on use

Recommended Use Visible Penetrant for Leak Detection.

Details of the supplier of the safety data sheet

Manufacturer Address

AMERICAN GAS & CHEMICAL COMPANY, LTD 220 Pegasus Avenue

Northvale NJ 07647

Emergency Telephone Number

Company Phone Number Phone: 201-767-7300 Fax: 201-767-1741 INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Dark red liquid Physical State Aerosol Odor Mild

Classification

Acute toxicity - Inhalation (Vapors)	Category 4
Gases Under Pressure	Compressed Gas

Signal Word

Danger

Hazard Statements

Harmful if inhaled

May be harmful if swallowed

Contains gas under pressure; may explode if heated

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store locked up

Protect from sunlight. Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Very toxic to aquatic life with long lasting effects



3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Di-isodecyl phthalate (DIDP)	68515-49-1	72
1,1,1,2-Tetrafluoroethane	811-97-2	18
Petroleum distillates, hydrotreated middle	64742-46-7	10

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact If sprayed into the eyes, flush with clear water for 15 minutes or until irritation subsides. If

irritation persists, call physician.

Skin Contact In case of contact, wash skin thoroughly with soap and water. Remove any contaminated

clothing and wash before reuse.

Inhalation If overcome by vapor, remove from exposure and call physician immediately. If breathing is

irregular or has stopped, start resuscitation; administer oxygen, if available.

Ingestion If ingested, do not induce vomiting. Call a physician immediately.

Most important symptoms and effects

SymptomsDue to its low volatility, exposure to this material under ambient conditions is not expected

to produce adverse human health effects following normal workplace exposure. Can cause slight skin irritation. May cause eye irritation. Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion of small quantities is usually non-fatal unless aspiration

Revision Date: 21-Apr-2022

occurs. Aspiration may lead to chemical pneumonitis.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Regular foam, water fog, CO2, dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is combustible & may ignite if exposed to high temperature or direct flame.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool exposed containers with water spray. Avoid breathing vapor or fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Remove all ignition sources. Recover free liquid. Ventilate confined spaces.

For Emergency Responders Follow applicable OSHA regulations (29 CFR 1910.120).

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Absorb with appropriate inert material such as sand, clay, etc.

Methods for Clean-Up Sweep up absorbed material and shovel into suitable containers for disposal.

Large spills may be picked up by using vacuum pumps, shovels, buckets, or other means and placed in drums or other suitable containers. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste

disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes

Revision Date: 21-Apr-2022

or clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers closed when not in use. Do not handle or store near heat, sparks, flame or

strong oxidants. Store locked up. AEROSOL: Store in a cool dry place at temperatures

below 120°F. Do not puncture or incinerate aerosol cans.

Incompatible MaterialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines The following information is given as general guidance

Appropriate engineering controls

Engineering Controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Impervious rubber gloves.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Aerosol

AppearanceDark red liquidOdorMild

ColorDark redOdor ThresholdNot determined

Property Note: the physical data presented below are for bulk formula specification.

Remarks • Method

Mara

pH None

Melting Point/Freezing PointNot determinedBoiling Point/Boiling Range226.66°C / 440°F

Flash Point 95°C / 203°F (ASTM D-93 / PMCC)
Evaporation Rate <1 (butyl acetate = 1)

Evaporation Rate <1 Flammability (Solid, Gas) Not determine the No

Flammability (Solid, Gas)
Upper Flammability Limits
Not determined
Not determined
Not determined

 Vapor Pressure
 0.1 mm Hg
 @68°F (20°C)

 Vapor Density
 >1
 (Air=1)

Specific Gravity
Water Solubility
water Solubility in other solvents
Partition Coefficient
Auto-ignition Temperature
Decomposition Temperature
Not determined
Not determined
Not determined
Not determined

Decomposition Temperature
Kinematic Viscosity
Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Revision Date: 21-Apr-2022

Information on likely routes of exposure

Product Information

Eye Contact May cause temporary irritation on eye contact.

Skin Contact May cause temporary irritation on skin contact.

Inhalation May cause irritation if inhaled.

Ingestion May cause discomfort if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Di-isodecyl phthalate (DIDP) 68515-49-1	> 60000 mg/kg (Rat)	= 16000 mg/kg (Rabbit)	-	
1,1,1,2-Tetrafluoroethane 811-97-2	-	ī	= 1500 g/m ³ (Rat) 4 h	
Petroleum distillates, hydrotreated middle 64742-46-7	= 7400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 4.6 mg/L (Rat) 4 h	

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

CarcinogenicityThis product contains petroleum distillates which are considered to be highly refined and not

considered to be carcinogenic under IARC.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Di-isodecyl phthalate (DIDP) 68515-49-1	subcapitata mg/L EC50	0.66: 96 h Pimephales promelas mg/L LC50 static 1: 96 h Pimephales promelas mg/L LC50 flow-through 1: 96 h Oncorhynchus mykiss mg/L LC50 static 0.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.55: 96 h Lepomis macrochirus mg/L LC50 static		0.18: 48 h Daphnia magna mg/L EC50
Petroleum distillates, hydrotreated middle 64742-46-7		35: 96 h Pimephales promelas mg/L LC50 flow-through 10000: 96 h Pimephales promelas mg/L LC50 static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Revision Date: 21-Apr-2022

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

IATA

UN/ID No UN1950

Proper Shipping Name Aerosols, non-flammable

Hazard Class 2.2

IMDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

Marine Pollutant Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Di-isodecyl phthalate (DIDP)	Present	Х		Present		Present	Х	Present	Χ	Х
1,1,1,2-Tetrafluoroethane	Present	Х		Present		Present	Х	Present	Х	Х
Petroleum distillates, hydrotreated middle	Present	Х		Present		Present	Х	Present	Х	Х

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Not determined

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Di-isodecyl phthalate (DIDP) 68515-49-1 (72)		X		

Revision Date: 21-Apr-2022

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Di-isodecyl phthalate (DIDP) 68515-49-1	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Di-isodecyl phthalate (DIDP)			v
68515-49-1			^

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards 0	Flammability 0	Instability 1	Special Hazards Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	1	1	B- Safety Glasses,
				Gloves

Issue Date: 02-Feb-2004 **Revision Date:** 21-Apr-2022 3-Year Update

Revision Note:

Disclaimer

Information in the SDS is provided in good faith, but we assume no liability for its use or misuse. It is furnished without any warranty of merchantability or any other warranty, express or implied. We shall not be liable for any claims, losses or damages of any vendee or third party or for lost profits or any special, indirect, incidental, consequential of exemplary damages, however they arise. Users must make their own investigations to determine suitability.

End of Safety Data Sheet