# **Safety Data Sheet**



Issue Date: 21-Dec-2004 Revision Date 21-Apr-2022 Version 1

#### 1. IDENTIFICATION

**Product Identifier** 

Product Name Flaw-Finder AG-1D-RH Cleaner

Other means of identification

**SDS #** AGC-031

Product Code AG-1D-RH UN/ID No UN1950

**Other Information** Package type: Aerosol.

Recommended use of the chemical and restrictions on use

**Recommended Use** Penetrant cleaner.

Details of the supplier of the safety data sheet

**Manufacturer Address** 

AMERICAN GAS & CHEMICAL COMPANY, LTD

220 Pegasus Avenue Northvale NJ 07647

**Emergency Telephone Number** 

Company Phone Number Phone: 201-767-7300 Fax: 201-767-1741 Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Clear liquid Physical State Liquid Odor Citrus odor

#### Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin sensitization	Category 1
Gases Under Pressure	Compressed Gas

# Signal Word Warning

#### **Hazard Statements**

Harmful if inhaled

May cause an allergic skin reaction

May be harmful if swallowed

Contains gas under pressure; may explode if heated

#### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

# **Precautionary Statements - Response**

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

#### **Precautionary Statements - Storage**

Store locked up

Protect from sunlight. Store in a well-ventilated place



#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
1,2-trans-Dichloroethylene	156-60-5	<45
Methyl Nonafluoro-isobutyl Ether	163702-08-7	<12
Methyl Nonafluoro-butyl Ether	163702-07-6	<12
1,1,1,2-Tetrafluoroethane	811-97-2	<30
d-Limonene	5989-27-5	<4

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

#### 4. FIRST-AID MEASURES

**First Aid Measures** 

**Eye Contact** If splashed into the eyes, flush with clear water for 15 minutes or until irritation subsides. If

irritation persists, call physician.

**Skin Contact** Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing

before reuse. If skin irritation or rash occurs: Get medical advice/attention.

**Inhalation** Remove to fresh air. Call a physician immediately. If not breathing, give artificial respiration.

If breathing is difficult, give oxygen.

**Ingestion** Do not induce vomiting. Call a physician immediately. Potential for aspiration if swallowed.

#### Most important symptoms and effects

Symptoms High vapor concentrations are irritating to the respiratory tract, may cause headaches and

dizziness, are anesthetic and may have other central nervous system effects. Prolonged or repeated skin contact tends to remove skin oils possibly leading to irritation and dermatitis.

Revision Date: 21-Apr-2022

Contact may cause eye irritation.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

# **Specific Hazards Arising from the Chemical**

Pressurized container: May burst if heated.

Exposure to extreme heat can give rise to thermal decomposition.

Hazardous Decomposition or By-Products Carbon Monoxide, Carbon Dioxide

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Remove all sources of ignition. Use personal protective equipment as required. Ventilate

confined spaces.

**Environmental Precautions**Try to prevent the material from entering drains or water courses.

#### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Contain spill. Working from around

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities.

Revision Date: 21-Apr-2022

# 7. HANDLING AND STORAGE

Precautions for safe handling

only in well-ventilated areas. Contaminated work clothing should not be allowed out of the workplace. Avoid prolonged or repeated contact with skin. Do not get in eyes. Do not

puncture or incinerate cans.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, and flame. Store away from incompatible materials. Do not store above the

following temperature: 35°C (95°F).

Incompatible Materials Strong oxidizers. Alkalis or alkaline earth metals powdered Al, Zn, Be, etc.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
1,2-trans-Dichloroethylene 156-60-5	TWA: 200 ppm	1	-

#### **Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Use splash goggles or face shield when contact may occur.

**Skin and Body Protection** For prolonged or repeated skin contact use suitable protective gloves. Wear appropriate

clothing to prevent repeated or prolonged skin contact.

**Respiratory Protection**Use supplied-air respiratory protection in confined or enclosed spaces.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical StateLiquidAppearanceClear liquidOdorCitrus odorColorClearOdor ThresholdNot determined

Property Values Remarks • Method

pH Not determined
Melting Point/Freezing Point Not determined
Boiling Point/Boiling Range 44.6°C / 112°F

Flash Point None

Evaporation Rate <1 (Water = 1)

Flammability (Solid, Gas) Non-flammable aerosol

Upper Flammability Limits None
Lower Flammability Limit None

 Vapor Pressure
 517 mm Hg
 @ 20°C (68°F)

 Vapor Density
 4.0
 (Air=1)

 Specific Gravity
 1.40
 @ 20°C (68°F)

Water Solubility
Solubility in other solvents
Partition Coefficient
Auto-ignition Temperature
Decomposition Temperature
Not determined
Not determined
Not determined

Kinematic Viscosity

Dynamic Viscosity

Explosive Properties

Oxidizing Properties

Not determined
Not determined
Not determined

# 10. STABILITY AND REACTIVITY

Revision Date: 21-Apr-2022

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

#### Conditions to Avoid

Keep out of reach of children.

#### **Incompatible Materials**

Strong oxidizers. Alkalis or alkaline earth metals powdered Al, Zn, Be, etc.

#### **Hazardous Decomposition Products**

Decomposition of this product at temperature above 300° C can form Hydrogen Chloide, Perfluoroisobutylene & Hydrogen Fluoride (HF), but HF will only accumulate with continuous exposure to excess heat in a sealed vessel.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** May be harmful in contact with skin. May cause an allergic skin reaction. Causes mild skin

irritation.

**Inhalation** Harmful if inhaled.

**Ingestion** May be harmful if swallowed.

# **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1,2-trans-Dichloroethylene 156-60-5	= 1235 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Methyl Nonafluoro-isobutyl Ether 163702-08-7	> 5 g/kg (Rat)	> 2 g/kg (Rat)	= 1,000mg/l (Rat)4 h
Methyl Nonafluoro-butyl Ether 163702-07-6	> 5 g/kg (Rat)	> 2 g/kg (Rat)	= 1,000mg/l (Rat)4 h
1,1,1,2-Tetrafluoroethane 811-97-2	-	-	= 1500 g/m <sup>3</sup> (Rat) 4 h
d-Limonene 5989-27-5	-	> 5 g/kg (Rabbit)	-

# Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
d-Limonene 5989-27-5		Group 3		X

#### Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

# **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,2-trans-Dichloroethylene 156-60-5		135: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 1142 mg/L 5 min EC50 = 1546 mg/L 30 min	
1,1,1,2-Tetrafluoroethane 811-97-2		96 hour LC50-Rainbow Trout: 450 mg/L	•	48 hour EC50-Daphnia magna: 980 mg/L
d-Limonene 5989-27-5		0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow- through 35: 96 h Oncorhynchus mykiss mg/L LC50		

Revision Date: 21-Apr-2022

# Persistence/Degradability

Not determined.

# **Bioaccumulation**

Not determined.

# **Mobility**

Chemical Name	Partition Coefficient	
1,2-trans-Dichloroethylene 156-60-5	1.48	

# **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

#### **US EPA Waste Number**

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
1,2-trans-Dichloroethylene	U079	Included in waste streams:		U079
156-60-5		F024, F025, F039, K073		
Chemical Name	RCRA - Halogenated	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
	Organic Compounds			
1,2-trans-Dichloroethylene	Category I - Volatiles		Toxic waste	
156-60-5			waste number F025	
			Waste description: Condensed	
			light ends, spent filters and filter	
			aids, and spent desiccant	
			wastes from the production of	
			certain chlorinated aliphatic	
			hydrocarbons, by free radical	
			catalyzed processes. These	
			chlorinated aliphatic	
			hydrocarbons are those having	
			carbon chain lengths ranging	
			from one to and including five,	
			with varying amounts and	
			positions of chlorine substitution.	

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
d-Limonene 5989-27-5	Toxic

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

**IATA** 

UN/ID No UN1950

**Proper Shipping Name** Aerosols, non-flammable

Hazard Class 2.2

**IMDG** 

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

Marine Pollutant This material may meet the definition of a marine pollutant

#### 15. REGULATORY INFORMATION

Revision Date: 21-Apr-2022

#### **International Inventories**

TSCA Listed

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### **US Federal Regulations**

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
1,2-trans-Dichloroethylene	1000 lb 1 lb		RQ 1000 lb final RQ
156-60-5			RQ 454 kg final RQ RQ 1 lb final RQ
			RQ 0.454 kg final RQ

#### **SARA 313**

#### **CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
1,2-trans-Dichloroethylene 156-60-5 ( <35 )			X	

#### **US State Regulations**

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1,2-trans-Dichloroethylene 156-60-5		X	X

# 16. OTHER INFORMATION NFPA Health Hazards Flammability Instability Special Hazards

2 0 0 Not determined

HMIS Health Hazards Flammability Physical Hazards Personal Protection

0 0 B

Issue Date:21-Dec-2004Revision Date:21-Apr-2022Revision Note:3-Year Update

#### **Disclaimer**

Information in the SDS is provided in good faith, but we assume no liability for its use or misuse. It is furnished without any warranty of merchantability or any other warranty, express or implied. We shall not be liable for any claims, losses or damages of any vendee or third party or for lost profits or any special, indirect, incidental, consequential of exemplary damages, however they arise. Users must make their own investigations to determine suitability.

**End of Safety Data Sheet**